TO - 1449 W18 (Maddified)

U.S. Department of Commerce Patent and Trademark Office

Information Disclosure

Statement by Applicant (use several Sheets if necessary) Attorney Docket No. CV0283a

|Serial No.: 09/487,944

Applicant: Shannon

Filing Date:

January 19, 2000

Group No.

## **U.S. PATENT DOCUMENTS**

Exmr Inițial	Patent Number	Issue Date	Patentee	Class	Sub- Class	Filing Date If Appropriate
MA AA	5,265,605	11/30/93	Afflerbach	128	630	
7. A AB	5,957,837	9/28/99	Raab	600	300	

## FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

Exmr	Document Number	Publn	Country or Patent	Class	Sub-	Transla	ation?
Initial		Date*	Office		Class	Yes	No

	1 /	OTHER	DOCOMEN 12	(including Author,	Title, Date, P	ertinent Pages,	Place of Publicat	(ION " " )
•	11/1	111 40	1 4 4	for the Commence	C C4-4 T	O T /	2	

// J/ OTTIER DO	Content to (moldaling rather, 11to, Date, 1 oranient 1 ages, 1 lace of 1 abnormer.
//C// AC Ir	nstructions for Use, Pressure Sore Status Tool, ConvaTec Brochure (1990)
/// AD B	Bates-Jensen, et al., Validity and Reliability of the Pressure Sore Status Tool,
	Decubitus, Vol. 5 No. 6, pp. 20-28 (1992)
// AE S	Solutions, Wound Care Algorithm Series Flip Cards, ConvaTec Brochure (1998)
100	
	·
Examiner La	and Huares Date Considered

84363.1.07 01/20/00 10:30 AM

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

(Form PTO - 2)

Use publication date indicated on the patent or published application. 37 CFR 1.98(b).

The place or publication refers to the name of the journal, magazine or other publication

OTHER	ART (Including Author, Title, Date, Pertinent Pages, Etc.)				
AR -					
AS					
AT					
AMINER	A DATE CONCIDENCE				

EXAMINER:/Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.